

# SYMPHANY TR SERIES

2007.10

ELEGANT AV RACK WITH 2.1 SPEAKER SYSTEM

SYMPHANY TR is a unique video display stand with integrated left and right speakers with a subwoofer for high quality audio, and no added clutter!



SYMPHANY TR is compatible with LCD or Plasma flat panel displays, and tabletop rear projection or conventional CRT models weighing up to 60kgs.


# SYMPHANY TR SERIES

HIGH QUALITY SOUND SYSTEM WITH EXCELLENT ACOUSTIC DESIGN



# SYMPHANY TR SERIES



## OUTLOOK DETAILS



# SYMPHANY TR SERIES

## PRODUCT SPECIFICATIONS

### *DIMENSION:*



# SYMPHANY TR SERIES

## PRODUCT SPECIFICATIONS

General Performance				
Measuring Condition Using Transformer	Mains regulated to 115/240V ~50/60Hz. All Satellite Channels Loaded with 4 ohms dummy resistor and Subwoofer Channel Loaded with 10 ohms dummy resistor. All input channels with inserted plug and terminated with input source of 600 ohms or less. Signal injected to either Satellite Channels or Subwoofer Channels only. Volume control at max position.			
Performance	Satellite	Subwoofer	Mains regulated to 264-50Hz Satellite      Subwoofer	
Rated Output Power @ THD 10%	2 X 30 W	50 W	N.A	N.A
Input 1 Sensitivity @ THD 10%	TBDmV±15% 750mV	TBDmV±15% 535mV	N.A	N.A
S/N Din Audio (ref. 1 W)	>70dBr @ 1kHz	>70dBr @ 100Hz	N.A	N.A
Hum & Noise Level	<3.0mV	<5.0mV	N.A	N.A
Channel Separation	>37dB	N.A	N.A	N.A
Channel Balance	<2dB	N.A	N.A	N.A
Crossover Frequency F-3dB	N.A	N.A	N.A	N.A
DBE fc	N.A	N.A	N.A	N.A
Distortion -6dB from Power rated	<0.5%	<0.5%	N.A	N.A
Power Amplifier	Class AB amplifier ZIP power package			
Mains Power Consumption				
Standby	8w			
Power ON	14.8w			
(100 Hz) Subwoofer @ 10%	100w			
(1kHz )Satellite @ 10%	97w			
Main 264VAC 50Hz (1/8 Power)	65w			

# SYMPHANY TR SERIES

SOUND ENVIRONMENT

